





**MORE THAN SENSORS**



**CATAFRANGENTI - REFLECTORS**

RELAZIONE DISTANZA CATARIFRANGENTE/FOTOCPELLULA  
RELATIONSHIP BETWEEN REFLECTOR AND DISTANCE



LIMITI DI TEMPERATURA MAX.: -10 ÷ +60°C / MATERIALE: PMMA  
TEMPERATURE LIMITS: -10 ÷ +60°C / PLASTIC MATERIAL: PMMA/ABS



**CT20-RFL000001**  
Spessore 5 mm  
Thickness 5 mm

**CT25-RFL000002**  
Spessore 6 mm  
Thickness 6 mm

**CT35-RFL000003**  
Spessore 6 mm  
Thickness 6 mm

**CT80-RFL000008**  
Spessore 8 mm  
Thickness 8 mm

**CT42-RFL000004**  
Spessore 6,8 mm  
Thickness 6,8 mm

**CT45-RFL000005**  
Spessore 8 mm  
Thickness 8 mm

**CTR2-RFL000013**  
Spessore 5 mm  
Thickness 5 mm

**CTR6-RFL000015**  
Spessore 8,5 mm  
Thickness 8,5 mm

**CTR1-RFL000012 ADESIVO**  
Spessore 6 mm  
Thickness 6 mm

**CTR4-RFL000014**  
Spessore 6 mm  
Thickness 6 mm

**CTR7-RFL000016**  
Spessore 8 mm  
Thickness 8 mm

**CTR8-RFL000017**  
Spessore 8 mm  
Thickness 8 mm

**CTR10-RFL000018**  
Spessore 9,5 mm  
Thickness 9,5 mm

**RFL000011**  
Foglio formato A4  
210 x 305 mm  
Sizes Din A4  
210 x 305 mm

**CARTA RIFRANGENTE AUTOADESIVA SCOTCHLIGHT**

**Nastro / Roll-RFL000009**

**Nastro / Roll-RFL000010**





**AECO**

20065 Inzago (MILANO) ITALY - Via G. Leopardi, 5  
Tel. ++39 02 954381 - Fax ++39 02 9548528

[www.aecosensors.com](http://www.aecosensors.com) / email: [aeco@aecosensors.com](mailto:aeco@aecosensors.com)